

Certificate of Compliance

Certificate: 70200721 (LR 112981) **Master Contract:** 189724

Issued to: M.G.M. Motori Elettrici S.p.A.

S.R.435,KM 31,

Serravalle Pistoiese, PT, 51030

ITALY

Attention: Mr. Francesco Ghieri

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US (indicating that products have been manufactured to the requirements of both Canadian and US Standards) or with adjacent indicator 'US' for US only or without either indicator for Canada only



Issued by: Alessandro Raspatelli Alessandro Raspatelli

PRODUCTS

4211-01-MOTORS AND GENERATORS
4211-81-MOTORS AND GENERATORS- Certified to US Standards

Component type motors , series SM,BM,BA,BAH,BS,SMS,SMX,BMX,BAX,BAHX, , 3 ph, 600V max, 50/60Hz , from 0.04 KW to 90 KW max., ambient temperature 40 °C, 2,4,6, 8,12,2/4,4/8,2/6,2/8,4/6,4/12,2/12,4/16 poles, squirrel-cage induction motors, tefc, foot and/or flange mounted to enclosure with changeable position, Insulation Class F; frame sizes 56-63-71-80-90-100-112-132-160-180-200-225-250-280.

<u>Note:</u> Intended for use as a component part in other equipment where the acceptability is determined by the CSA Group.

<u>Note:</u> Motors could also be marked for intermittent duty service, S2 or S3, provided that the input rated current is less than or equal to the value indicated for the continuous duty service S1.

For details related to rating, size, configuration, etc. reference should be made to the CSA Certification Record or the descriptive report.

APPLICABLE REQUIREMENTS

CSA 22.2 No.100-14 Motors and Generators

UL 1004-1(2nd edition) Rotating Electrical Machines – General Requirements